

**Struktūrinio profilio C parametrai ir kainos**

Profilis	t	h	a;a <sub>1</sub>	b;b <sub>1</sub>	Svoris m	Kaina be PVM, Eur	Kaina su PVM, Eur
	mm	mm	mm	mm	kg		
C100/07	0.7	100	15	40	1.18	1.97	2.38
C100/10	1	100	15	40	1.68	2.55	3.09
C100/12	1.2	100	15	40	2.00	2.99	3.62
C100/15	1.5	100	15	40	2.52	3.29	3.98
C100/20	2	100	15	40	3.36	4.17	5.05
C100/25	2.5	100	22	40	4.20	5.34	6.46
C100/30	3	100	30	40	5.04	6.36	7.70
C120/07	0.7	120	15	40	1.29	2.27	2.75
C120/10	1	120	15	40	1.84	2.71	3.28
C120/12	1.2	120	15	40	2.19	3.15	3.81
C120/15	1.5	120	15	40	2.76	3.58	4.33
C120/20	2	120	15	40	3.68	4.61	5.58
C120/25	2.5	120	22	40	4.60	5.63	6.81
C120/30	3	120	30	40	5.76	6.68	8.08
C150/07	0.7	150	15	40	1.4	2.41	2.92
C150/10	1	150	15	40	2	2.99	3.62
C150/12	1.2	150	15	40	2.38	3.29	3.98
C150/15	1.5	150	15	40	3	3.93	4.76
C150/20	2	150	15	40	4	5.05	6.11
C150/25	2.5	150	22	40	5	6.36	7.70
C150/30	3	150	30	40	6	7.54	9.12
C200/07	0.7	200	15	40	1.68	2.55	3.09
C200/10	1	200	15	40	2.40	3.43	4.15
C200/12	1.2	200	15	40	2.86	3.87	4.68
C200/15	1.5	200	15	40	3.60	4.61	5.58
C200/20	2	200	15	40	4.80	5.92	7.16
C200/25	2.5	200	22	40	6.20	7.27	8.80
C200/30	3	200	30	40	7.44	9.30	11.25
C250/10	1	250	15	40	3.28	3.96	4.79
C250/12	1.2	250	15	40	3.9	4.43	5.36
C250/15	1.5	250	15	40	4.92	5.19	6.28
C250/20	2	250	15	40	6.56	6.89	8.34
C250/25	2.5	250	22	40	8.20	8.61	10.42
C250/30	3	250	30	40	9.84	10.33	12.50
C300/10	1	300	15	40	3.60	4.49	5.43
C300/12	1.2	300	15	40	4.28	5.06	6.12
C300/15	1.5	300	15	40	5.40	6.04	7.31
C300/20	2	300	15	40	7.20	8.06	9.75
C300/25	2.5	300	22	40	9.00	10.09	12.21
C300/30	3	300	30	40	10.80	12.10	14.64
C350/10	1	350	15	40	4.40	5.19	6.28
C350/12	1.2	350	15	40	5.24	5.82	7.04
C350/15	1.5	350	15	40	6.60	6.74	8.16
C350/20	2	350	15	40	8.80	8.90	10.77
C350/25	2.5	350	22	40	11.00	11.08	13.41
C350/30	3	350	30	40	13.2	13.28	16.07


Struktūrinio profilio Z parametrai ir kainos



Profilis	t	h	a;a <sub>1</sub>	b;b <sub>1</sub>	Svoris m	Kaina be PVM, Eur	Kaina su PVM, Eur
	mm	mm	mm	mm	kg		
Z50/07	0.7	50	12	46;40	0.84	1.29	1.56
Z50/10	1	50	12	46;40	1.2	1.66	2.01
Z50/12	1.2	50	12	46;40	1.43	1.93	2.34
Z50/15	1.5	50	12	46;40	1.8	2.17	2.63
Z50/20	2	50	15	46;40	2.4	3.10	3.75
Z75/07	0.7	75	12	46;40	1.01	1.44	1.74
Z75/10	1	75	12	46;40	1.44	2.02	2.44
Z75/12	1.2	75	12	46;40	1.73	2.32	2.81
Z75/15	1.5	75	12	46;40	2.16	2.61	3.16
Z75/20	2	75	15	46;40	2.88	3.63	4.39
Z100/07	0.7	100	12	46;40	1.18	1.73	2.09
Z100/10	1	100	12	46;40	1.68	2.32	2.81
Z100/12	1.2	100	12	46;40	1.99	2.75	3.33
Z100/15	1.5	100	12	46;40	2.52	3.05	3.69
Z100/20	2	100	15	46;40	3.36	3.93	4.76
Z100/25	2.5	100	22	46;40	4.2	5.09	6.16
Z100/30	3	100	30	47;39	5.04	6.13	7.42
Z120/07	0.7	120	12	46;40	1.29	2.02	2.44
Z120/10	1	120	12	46;40	1.84	2.46	2.98
Z120/12	1.2	120	12	46;40	2.19	2.90	3.51
Z120/15	1.5	120	12	46;40	2.76	3.34	4.04
Z120/20	2	120	15	46;40	3.68	4.37	5.29
Z120/25	2.5	120	22	46;40	4.6	5.39	6.52
Z120/30	3	120	30	47;39	5.52	6.45	7.80
Z150/07	0.7	150	12	46;40	1.4	2.17	2.63
Z150/10	1	150	12	46;40	2	2.75	3.33
Z150/12	1.2	150	12	46;40	2.38	3.05	3.69
Z150/15	1.5	150	12	46;40	3	3.69	4.46
Z150/20	2	150	15	46;40	4	4.81	5.82
Z150/25	2.5	150	22	46;40	5	6.13	7.42
Z150/30	3	150	30	47;39	6	7.29	8.82
Z200_1/07	0.7	200	12	46;40	1.68	2.32	2.81
Z200_1/10	1	200	12	46;40	2.4	3.19	3.86
Z200_1/12	1.2	200	12	46;40	2.86	3.63	4.39
Z200_1/15	1.5	200	12	46;40	3.6	4.37	5.29
Z200_1/20	2	200	15	46;40	4.8	5.69	6.88
Z200_1/25	2.5	200	22	46;40	6.2	7.03	8.51
Z200_1/30	3	200	30	47;39	7.44	9.05	10.95
Z200_2/07	0.7	200	20	70;60	1.96	2.61	3.16
Z200_2/10	1	200	20	70;60	2.8	3.78	4.57
Z200_2/12	1.2	200	20	70;60	3.33	4.22	5.11
Z200_2/15	1.5	200	20	70;60	4.2	4.95	5.99
Z200_2/20	2	200	20	70;60	5.6	6.57	7.95
Z200_2/25	2.5	200	22	70;60	7	8.20	9.92
Z200_2/30	3	200	30	70;60	8.4	9.83	11.89
Z250/10	1	250	20	70;60	3.28	4.27	5.17
Z250/12	1.2	250	20	70;60	3.9	4.81	5.82
Z250/15	1.5	250	20	70;60	4.92	5.75	6.96

Z250/20	2	250	20	70;60	6.56	7.67	9.28
Z250/25	2.5	250	22	70;60	8.2	9.61	11.63
Z250/30	3	250	28	70;60	9.84	11.53	13.95
Z300/10	1	300	25	70;60	3.6	4.95	5.99
Z300/12	1.2	300	25	70;60	4.28	5.53	6.69
Z300/15	1.5	300	25	70;60	5.4	6.41	7.76
Z300/20	2	300	25	70;60	7.2	8.47	10.25
Z300/25	2.5	300	25	70;60	9	10.54	12.75
Z300/30	3	300	30	70;60	10.8	12.65	15.31
Z350/10	1	350	30	70;80	4.4	5.97	7.22
Z350/12	1.2	350	30	70;80	5.24	6.57	7.95
Z350/15	1.5	350	30	70;80	6.6	7.73	9.35
Z350/20	2	350	30	70;80	8.8	10.31	12.48
Z350/25	2.5	350	30	70;80	11	11.84	14.33
Z350/30	3	350	30	70;80	13.2	15.47	18.72

*Struktūrinio profilio H parametrai ir kainos*



Profilis	t	h	a;a <sub>1</sub>	b;b <sub>1</sub>	Svoris m kg	Kaina be PVM, Eur	Kaina su PVM, Eur
	mm	mm	mm	mm			
HAT50/07	0.7	20	50	25	0.77	1.20	1.45
HAT50/10	1	20	50	25	1.01	1.58	1.91
HAT50/12	1.2	20	50	25	1.31	1.76	2.13
HAT50/15	1.5	20	50	25	1.66	1.96	2.37
HAT50/20	2	20	50	25	2.21	2.75	3.33
HAT70/07	0.7	20	70	25	1	1.44	1.74
HAT70/10	1	20	70	25	1.42	1.90	2.30
HAT70/12	1.2	20	70	25	1.69	2.24	2.71
HAT70/15	1.5	20	70	25	2.14	2.50	3.03
HAT70/20	2	20	70	25	2.85	3.34	4.04
VHAT50/07	0.7	25	50	20	0.77	1.53	1.85
VHAT50/10	1	25	50	20	1.01	1.91	2.31
VHAT50/12	1.2	25	50	20	1.31	2.09	2.53
VHAT50/15	1.5	25	50	20	1.66	2.29	2.77
VHAT50/20	2	25	50	20	2.21	3.09	3.74